

Phone: 610-868-0104 Fax: 610-868-0204

Please complete this questionnaire in its entirety, even if you feel some sections do not apply to you.

INITIAL FEMALE PELVIC PAIN QUESTIONNAIRE

Patient Information

Name: _____ Date: _____
DOB: _____ Age: _____

Race/Ethnic Identity: _____

Sexual Orientation: ___ Heterosexual ___ Homosexual ___ Bisexual ___ Asexual ___ Other: _____

Religious/Spiritual Affiliation (optional): _____

Medication Allergies: _____

(Office use: G P A VIP LC _____ Drive time: _____ Wgt _____ BP _____)

Demographic Information

1. Are you (circle all that apply):

Single Married (____ years) Separated Divorced
Widowed Committed Relationship (____ years) Remarried

2. Education:

Less than 12 years High School graduate Technical School
College degree Post-graduate degree

3. Who do you live with? _____

4. What type of work are you trained for? _____

5. What type of work are you doing? _____

6. What type of work does your partner do? _____

7. Has pain forced you to give up or change your type of work? ____ Yes ____ No

8. If yes, how has pain changed your work?

a. Changed to a less strenuous, but full-time job? ____ Yes ____ No

b. Changed to part-time work? ____ Yes ____ No

c. Unable to work? ____ Yes ____ No

d. If disabled, how long have you been unable to work? _____

Family History

9. List anyone in your family, including relatives, (excluding yourself) who have had;

- | | | |
|---|--|---|
| <input type="checkbox"/> Fibromyalgia | <input type="checkbox"/> Chronic pelvic pain | <input type="checkbox"/> Irritable bowel syndrome |
| <input type="checkbox"/> Endometriosis | <input type="checkbox"/> Migraine headaches | <input type="checkbox"/> Interstitial Cystitis |
| <input type="checkbox"/> Depression/Anxiety | <input type="checkbox"/> Cancer (type) | Other: _____ |


This image shows a single page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

Groin pain? Yes ___ No ___
Abdominal Pain? Yes ___ No ___
Lower back pain? Yes ___ No ___
Pain with sitting? Yes ___ No ___

Dates (years only) of Ultrasound: _____
 MRI: _____
 CT Scan: _____

ANSWER ALL QUESTIONS AS IF YOU'RE HAVING YOUR MOST SEVERE DAY OF PAIN

**On the diagrams below, shade in all the areas of your body where you feel pain.
If there is an area that hurts more than anywhere else, put an X on that area.**



Left

Right

Right


Left

Vulvar/ Perineal Pain


(pain outside and around the vagina and rectum)

If you have vulvar pain, shade the painful areas.

Is your pain relieved by sitting on a commode seat? ☐ Yes ☐ No



Then shade the inside view of the pelvis to show pain that is deep.



Medications

Please list pain medication you have taken for your pain condition in the past 6 months, and the providers who prescribed them (use a separate page if needed):

Medication/dose	Provider	Did it help?
		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Currently taking
		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Currently taking
		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Currently taking
		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Currently taking
		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Currently taking
		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Currently taking
		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Currently taking
		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Currently taking
		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Currently taking
		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Currently taking

Please list all other medications you are presently taking, the condition, and the provider who prescribed them (use a separate page if needed):

Medication/dose	Provider	Medical Condition

11. Your age when you first started having pain: _____
12. If your pain had gone away and now has returned, what age did it return? _____
13. What do you think is causing your pain? _____
14. Is there an event that you associate with the onset of your pain? Yes No
If yes, what? _____
15. How long have you had this pain? _____ years _____ months
16. Please tell us how the pain started or the circumstances related to its onset:

17. How has the intensity of your pain changed over the past several months?
☐ Increased ☐ Decreased ☐ Stayed the same ☐ Varied

18. Which word or words would you use to describe the pattern of your pain?

(Circle all that apply)

Continuous
Steady
Constant

Rhythmic
Periodic
Intermittent

Brief
Momentary
Transient

19. Shade in the circle of the number that most appropriately rates your pain level:

0 = No Pain 10 = Worst Possible Pain

	0	1	2	3	4	5	6	7	8	9	10
a. Right now	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. At its <u>worst</u> in the past month	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. At its <u>least</u> in the past month	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. At its <u>average</u> in the past month	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. At <u>mid-cycle</u> (ovulation)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. <u>Before</u> period or with menses	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. <u>With</u> period or menses	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. With <u>intercourse</u>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. Entrance pain	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
j. Deep pain with intercourse	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
k. Pain or burning following intercourse	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
l. Pain with sitting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
m. Pain in either groin	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
n. Worst <u>toothache</u> ever	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
o. Worst <u>headache</u> ever	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
p. Ideal <u>acceptable</u> level of pain?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

20. What does your pain feel like?

(The words below describe average pain. Please shade the circles in the correct column, which represents the degree to which you feel that type of pain. Please limit yourself to a description of the pain in your *PELVIC AREA ONLY*.)

	None (0)	Mild (1)	Moderate (2)	Severe (3)
Throbbing	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Shooting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Stabbing	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sharp	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cramping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Gnawing	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Hot-Burning	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Aching	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Heavy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tender	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Splitting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Exhausting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sickening	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Fearful	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Punishing/Cruel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

**PLEASE REMEMBER TO CONTINUE TO ANSWER ALL QUESTIONS AS IF
YOU'RE HAVING YOUR MOST SEVERE DAY OF PAIN.**

21. Please shade the number that describes how, during the past month, pain has interfered with:

(0 = did not interfere 10 = completely interfered)

	<u>0</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>	<u>9</u>	<u>10</u>
a. General Activity	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
b. Housework	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
c. Walking	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
d. Sleeping	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
e. Enjoyment of Life	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
f. Mood	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
g. Relations with Other People	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
h. Sexual Relations	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

22. Mark the number that summarizes your overall sense of well-being for the past month.

(When reflecting on your sense of well-being over the past month, you need to take into consideration your physical, mental, emotional, social and spiritual condition.)

0 = worst you have ever been

10 = best you have ever been

0 1 2 3 4 5 6 7 8 9 10

23. Who are the people you talk to concerning your pain or during a stressful time?

- | | | | |
|---|---------------------------------------|---|--|
| <input type="checkbox"/> Spouse/Partner | <input type="checkbox"/> Doctor/Nurse | <input type="checkbox"/> Support Group | <input type="checkbox"/> Clergy |
| <input type="checkbox"/> Friend | <input type="checkbox"/> Relative | <input type="checkbox"/> Mental Health Provider | <input type="checkbox"/> I take care of Myself |

24. How does your partner deal with your pain?

- | | | |
|--|---|---|
| <input type="checkbox"/> Doesn't notice when I'm in pain | <input type="checkbox"/> Takes care of me | <input type="checkbox"/> Not applicable |
| <input type="checkbox"/> Withdraws | <input type="checkbox"/> Feels helpless | |
| <input type="checkbox"/> Distracts me with activities | <input type="checkbox"/> Gets angry | |

25. What helps your pain?

- | | | | |
|-------------------------------------|---|--------------------------------------|---------------------------------------|
| <input type="checkbox"/> Meditation | <input type="checkbox"/> Relaxation | <input type="checkbox"/> Lying down | <input type="checkbox"/> Hot Bath |
| <input type="checkbox"/> Massage | <input type="checkbox"/> Ice | <input type="checkbox"/> Heating Pad | <input type="checkbox"/> Nothing |
| <input type="checkbox"/> Injection | <input type="checkbox"/> Pain Medication | <input type="checkbox"/> TENS Unit | <input type="checkbox"/> Prayer |
| <input type="checkbox"/> Laxatives | <input type="checkbox"/> Emptying Bladder | <input type="checkbox"/> Music | <input type="checkbox"/> Other: _____ |

26. What makes your pain worse?

- | | | | |
|---|--|--------------------------------------|--|
| <input type="checkbox"/> Intercourse | <input type="checkbox"/> Orgasm | <input type="checkbox"/> Stress | <input type="checkbox"/> Full Meal |
| <input type="checkbox"/> Bowel Movement | <input type="checkbox"/> Full Bladder | <input type="checkbox"/> Urination | <input type="checkbox"/> Standing |
| <input type="checkbox"/> Walking | <input type="checkbox"/> Exercise | <input type="checkbox"/> Time of Day | <input type="checkbox"/> Sitting |
| <input type="checkbox"/> Clothing Contact | <input type="checkbox"/> Coughing/Sneezing | <input type="checkbox"/> Weather | <input type="checkbox"/> Not Related to Anything |

27. Of all the problems or stresses of your life, how does your pain compare?

- | | |
|---|--|
| <input type="checkbox"/> The most important | <input type="checkbox"/> Just one of many problems |
|---|--|

28. What types of treatment/providers have you tried in the past for your pain?

<input type="checkbox"/> Acupuncture	<input type="checkbox"/> Family practitioner	<input type="checkbox"/> Nutrition/diet
<input type="checkbox"/> Anesthesiologist	<input type="checkbox"/> Herbal medicine	<input type="checkbox"/> Physical therapy
<input type="checkbox"/> Anti-seizure medications	<input type="checkbox"/> Homeopathic medicine	<input type="checkbox"/> Psychotherapy
<input type="checkbox"/> Antidepressants	<input type="checkbox"/> Lupron, Synarel, Zoladex	<input type="checkbox"/> Psychiatrist
<input type="checkbox"/> Biofeedback	<input type="checkbox"/> Massage therapy	<input type="checkbox"/> Rheumatologist
<input type="checkbox"/> Bladder Instillations	<input type="checkbox"/> Meditation	<input type="checkbox"/> Skin magnets
<input type="checkbox"/> Botox injections	<input type="checkbox"/> Narcotics	<input type="checkbox"/> Surgery
<input type="checkbox"/> Contraceptive methods	<input type="checkbox"/> Naturopathic medication	<input type="checkbox"/> TENS unit
<input type="checkbox"/> Danazol (Danocrine)	<input type="checkbox"/> Nerve blocks	<input type="checkbox"/> Trigger point injections
<input type="checkbox"/> Depo-Provera	<input type="checkbox"/> Neurosurgeon	<input type="checkbox"/> Urologist
<input type="checkbox"/> Gastroenterologist	<input type="checkbox"/> Nonprescription medications	<input type="checkbox"/> Pain Management
<input type="checkbox"/> Gynecologist	<input type="checkbox"/> Other _____	<input type="checkbox"/> Other _____

29. Approximately how many health care practitioners have you seen up until this point for your pelvic pain symptoms? _____

29a. Have any of the following providers either told you or implied that your pain is “all in your head”?

- i) Healthcare Practitioner _____
- ii) Family member _____
- iii) Sexual partner _____
- iv) Friend _____
- v) Co-worker _____
- vi) Classmate _____
- vii) Yourself _____

29b. What is the worst thing any doctor has told you about your pain?

29c. Indicate to us the top 3 people in your life who believe the level of pain you have been experiencing. (Eg: partner, family, friend, doctor)

29d. Who in your life helps you feel safe?

What physicians or health care providers have evaluated you for chronic pelvic pain?

Physician/Provider

Specialty

City, State

Phone Number

- a. _____
- b. _____
- c. _____
- d. _____
- e. _____

GYN and Obstetrical History

30. How many pregnancies have you had? _____

Resulting in #: ____ Full (9 months) ____ Premature ____ Miscarriage/Abortion ____ Living Children

Were there any complications during pregnancy, labor, delivery or post partum? ____ Yes ____ No

If yes, please check all that apply:

- ☐ 4° Episiotomy ☐ C-section ☐ Vacuum ☐ Treatment for bleeding
☐ Vaginal laceration ☐ Forceps ☐ Post partum hemorrhaging ☐ Other _____

31. Birth control method:

- ☐ Nothing ☐ Pill ☐ Vasectomy ☐ Vaginal ring ☐ Depo Provera
☐ Condom ☐ IUD ☐ Hysterectomy ☐ Diaphragm ☐ Tubal Sterilization

Menstrual History

32. How old were you when your menses started? _____

Are you still having menstrual periods? ____ Yes ____ No

If not, approximate date of your last menstrual period? _____

If not, reason is: ☐ Hysterectomy ☐ Menopause ☐ Uterine ablation ☐ medical or hormonal suppression: _____

33. Periods are/used to be:

- ☐ Light ☐ Moderate ☐ Heavy ☐ Bleeding through protection

How many days between the start of each period? _____

How many days of menstrual flow? _____

Date of first day of last menstrual period? _____

- Do you have pain with your periods? ☐ Yes ☐ No
Does pain start the day flow starts? ☐ Yes ☐ No Pain starts _____ days before flow.
Are your periods regular? ☐ Yes ☐ No
Do you pass clots in your menstrual flow? ☐ Yes ☐ No

Lower Bowel Symptoms

34. Have you had a colonoscopy? ____ Yes ____ No *If yes, when? _____*

35. In general have you had?:

- | | Yes | No |
|--|-----------------------|-----------------------|
| a. Less than 3 bowel movements per week | <input type="radio"/> | <input type="radio"/> |
| b. More than 3 bowel movements per day | <input type="radio"/> | <input type="radio"/> |
| c. Hard or lumpy stools | <input type="radio"/> | <input type="radio"/> |
| d. Loose or watery stools | <input type="radio"/> | <input type="radio"/> |
| e. Straining during a bowel movement | <input type="radio"/> | <input type="radio"/> |
| f. Urgent need to have a bowel movement | <input type="radio"/> | <input type="radio"/> |
| g. Feeling of incomplete emptying with bowel movements | <input type="radio"/> | <input type="radio"/> |
| h. Passing mucous at the time of bowel movements | <input type="radio"/> | <input type="radio"/> |
| i. Abdominal fullness, bloating or swelling | <input type="radio"/> | <input type="radio"/> |
| j. Pain with bowel movement | <input type="radio"/> | <input type="radio"/> |
| k. Pain relieved with bowel movement | <input type="radio"/> | <input type="radio"/> |

Gastrointestinal/Eating

36. Do you have nausea? ☐ No ☐ With pain ☐ Taking medications ☐ With eating
37. Do you have vomiting? ☐ No ☐ With pain ☐ Taking medications ☐ With eating

38. How would you best describe your diet?

- ☐ Well-balanced ☐ Vegan ☐ Vegetarian ☐ Fried food

39. Have you ever had an eating disorder such as anorexia or bulimia? ____ Yes ____ No

40. Are you experiencing rectal bleeding or blood in your stool? ____ Yes ____ No

41. Do you have increased pain with bowel movements? ____ Yes ____ No

The following questions help to diagnose irritable bowel syndrome, a gastrointestinal condition, which may be a cause of chronic pelvic pain.

42. Do you have pain or discomfort that is associated with the following?

Change in frequency of bowel movement? ☐ Yes ☐ No

Change in appearance of stool or bowel movement? ☐ Yes ☐ No

Does your pain improve after completing a bowel movement? ☐ Yes ☐ No

Health Habits

43. How often do you exercise? ☐ Rarely ☐ 1-2x weekly ☐ 3-5x weekly ☐ Daily

44. What is your caffeine intake? ☐ 0 ☐ 1-3 ☐ 4-6 ☐ 6+
(number of cups per day including coffee, tea, soft drinks, etc.)

45. How many cigarettes do you smoke per day? ____ For how many years? ____

46. Do you drink alcohol? ____ Yes ____ No Number of drinks per week? ____

47. Have you ever received treatment for substance abuse? ____ Yes ____ No

48. What is your use of recreational drugs?

- ☐ Never used ☐ Used in past, but not now ☐ Presently using
☐ Marijuana ☐ Cocaine ☐ Barbiturates ☐ Amphetamine ☐ Heroin ☐ Other

Vulvar Hygiene

49. Do you use vaginal douches? ____ Yes ____ No ____ In the past, but not currently

If yes, type and frequency: _____

If in the past, type and frequency: _____

50. Underwear (shade all that apply):

- ☐ Cotton ☐ Silk ☐ Synthetic ☐ None ☐ Unsure of fabric

Urinary Symptoms

51. Have you had a cystoscopy? ____ Yes ____ No If yes, when? _____

52. Do you experience any of the following?

Loss of urine when coughing, sneezing or laughing?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Difficulty passing urine?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Frequent bladder infections?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Blood in the urine?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Still feeling full after urination?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Having to void again within minutes of voiding?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
If you took a long car ride (2-4 hours) would you have to make a stop to use the bathroom?	<input type="checkbox"/> Yes	<input type="checkbox"/> No

“Urinary urgency” is defined as a compelling desire to urinate, which is difficult to postpone because of pain, pressure or discomfort and a fear of worsening pain.

Please circle the answer that best describes your bladder function and symptoms, as if you are having a BAD day with your bladder.

	0	1	2	3	4
How many times do you go to the bathroom DURING THE DAY (to void or empty your bladder?)	3-6	7-10	11-14	15-19	20 or more
How many times do you go to the bathroom AT NIGHT (to void or empty your bladder?)	0	1	2	3	4 or more
If you get up at night to void or empty your bladder, does it bother you?	Never	Mildly	Moderately	Severely	
Do you have the urge to go again soon after voiding?	Never	Occasionally	Usually	Always	
If you have urgency (<i>see definition above</i>) is it usually:	Never	Mild	Moderate	Severe	
Does your urgency bother you?	Never	Occasionally	Usually	Always	
Do you have pain associated with your bladder OR in your pelvis (lower abdomen, labia, vagina, urethra or rectum?)	Never	Occasionally	Usually	Always	
If you have pelvic pain, is it usually:		Mild	Moderate	Severe	
Are you sexually active?	Yes	No*			
*If no, is it because of pain?	Yes	No			
If you are or have been sexually active do you now or have you ever had pain or symptoms during or after sexual intercourse?	Never	Occasionally	Usually	Always	
Does your pain bother you?	Never	Occasionally	Usually	Always	

Office use:

Sexual Pain History

53. **Have you ever been sexually active?** ____ Yes ____ No

If yes, please answering the following:

Have you been sexually active in the past 6 months? ____ Yes ____ No

Number of lifetime sexual partners (approximate): _____

Age at first intercourse: _____

Any pain during or after orgasm? ____ Yes ____ No

54. **If pain or discomfort with sexual activity is part of your pelvic pain problem...:**

a. Pain with first sexual experience?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
b. Only with current partner?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
c. Also with previous partner?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
d. Is your current partner always aware of your pain or discomfort?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
e. Is discomfort at vaginal opening, deeper or both? <i>(please circle one!)</i>		
f. Were tampons ever a problem to insert?	<input type="checkbox"/> Yes	<input type="checkbox"/> No

Describe current sexual pain or discomfort and how it is affecting your relationship:

55. **Does your partner have sexual difficulty?** ____ Yes ____ No ____ Uncertain

If yes, please shade all that apply: ☐ Erectile difficulties ☐ Rapid ejaculation

☐ Low sexual desire

☐ Fear of hurting

☐ Other

Sexual and Physical Abuse History

Have you ever been the victim of emotional abuse? This can include being humiliated or insulted.

____ Yes ____ No ____ No answer

56. **Check an answer for both as a child and as an adult:**

As a child
(13 and younger)

As an adult
(14 and older)

a. Has anyone ever exposed the sex organs of their body to you when you did not want it?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Yes	<input type="checkbox"/> No
b. Has anyone ever threatened to have sex with you when you did not want it?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Yes	<input type="checkbox"/> No
c. Has anyone ever touched the sex organs of your body when you did not want this?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Yes	<input type="checkbox"/> No
d. Has anyone ever made you touch the sex organs of their body when you did not want this?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Yes	<input type="checkbox"/> No
e. Has anyone forced you to have sex when you did not want this?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Yes	<input type="checkbox"/> No
f. Have you had any other unwanted sexual experiences not mentioned above?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Yes	<input type="checkbox"/> No

57. **When you were a child did an older person ever hit, kick or beat you? Threaten your life?**

____ Yes ____ No

☐ Never

☐ Seldom

☐ Occasionally

☐ Often

58. **Now that you are an adult, has another adult ever hit, kick or beat you? Threaten your life?**

____ Yes ____ No

☐ Never

☐ Seldom

☐ Occasionally

☐ Often

Headache History

59. Do you have a history of headaches? ____ Yes ____ No

If yes, when did they begin? _____

What is the frequency of your headaches? _____

Are they associated with your menstrual cycles? ____ Yes ____ No

Do you suffer from migraine headaches? ____ Yes ____ No

What do you take for your headaches? _____

Sleep Problems

60. Do you have trouble falling asleep? ☐ Yes ☐ No

61. Do you have trouble staying asleep? ☐ Yes ☐ No

62. Do you take anything to help you sleep? ☐ Yes ☐ No

Seasonal Allergies

63. Do you have seasonal allergies? ☐ Yes ☐ No

If yes, allergic to:

64. Do you take anything for your allergies? ☐ Yes ☐ No

If yes, what do you take:

Surgical History

65. Please list all surgical procedures you have had (related to your pain):

Procedure	Surgeon	Year	Findings

66. Please list all surgical procedures you have had (not related to your pain):

Procedure	Surgeon	Year	Findings

Medical History

67. Please list any other medical problems/diagnoses:

68. Have you ever been hospitalized for anything other than childbirth or surgeries?

____ Yes ____ No

If yes, please explain:

69a. Approximately how many times have you gone to an emergency room because of your pelvic pain symptoms? _____

Physical Trauma History

69. Through your entire life, have you had any painful injuries, torn ligaments, whiplash, **straddle injuries, tailbone injuries, concussions or broken bones, including ALL parts of your body?** If you can't remember, please ask a family member. ____ No ____ Yes

If yes, please explain:

Have you ever been in a car accident? ____ No ____ Yes. If yes, please explain:

70. Please list all major physical activities and/or sports you have participated in competitively or recreationally and how many years of each. *(This includes gymnastics, cheerleading, dance, horseback riding, soccer, softball, volleyball, track & field, running, etc)*

Activity or Sport	Years of Participation

Significant Emotional Stressors

71. In general, how would you describe your current relationship?	No tension Some tension A lot of tension
72. Do you and your current partner work out arguments with:	A lot of difficulty Some difficulty No difficulty
73. Do arguments ever result in you feeling down or bad about yourself?	Often Sometimes Never
74. Do you ever feel frightened by what your current partner says or does?	Often Sometimes Never
75. Has your current partner ever abused you emotionally?	Often Sometimes Never
76. Has your current partner ever abused you sexually?	Often Sometimes Never

Please clearly circle the answer that best suits your situation

77. What other important stressors in your life should we know about? Please explain.

78. How does your pelvic pain problem affect your life?

79. What is the pain preventing you from doing?

80. What is your greatest fear regarding your pelvic pain symptoms?

81. Do your symptoms cause you more pain or suffering? Please explain

VULVAR PAIN FUNCTIONAL QUESTIONNAIRE (V-Q)

These are statements about how your pelvic pain affects your everyday life. Please check one box for each item below, choosing the one that best describes your situation. Some of the statements deal with personal subjects. These statements are included because they will help your health care provider design the best treatment for you and measure your progress during treatment. Your responses will be kept completely confidential at all times.

1. Because of my pelvic pain
 - ☐ I can't wear tight-fitting clothing like pantyhose that puts any pressure over my painful area.
 - ☐ I can wear closer fitting clothing as long as it only puts a little bit of pressure over my painful area.
 - ☐ I can wear whatever I like most of the time, but every now and then I feel pelvic pain caused by pressure from my clothing.
 - ☐ I can wear whatever I like; I never have pelvic pain because of clothing.
2. My pelvic pain
 - ☐ Gets worse when I walk, so I can only walk far enough to move around in my house, no further.
 - ☐ Gets worse when I walk. I can walk a short distance outside the house, but it is very painful to walk far enough to get a full load of groceries in a grocery store.
 - ☐ Gets a little worse when I walk. I can walk far enough to do my errands, like grocery shopping, but it would be very painful to walk longer distances for fun or exercise.
 - ☐ My pain does not get worse with walking; I can walk as far as I want to
 - ☐ I have a hard time walking because of another medical problem, but pelvic pain doesn't make it hard to walk.
3. My pelvic pain
 - ☐ Gets worse when I sit, so it hurts too much to sit any longer than 30 minutes at a time.
 - ☐ Gets worse when I sit. I can sit for longer than 3- minutes at a time, but it is so painful that it is difficult to do my job or sit long enough to watch a movie.
 - ☐ Occasionally gets worse when I sit, but most of the time sitting is uncomfortable.
 - ☐ My pain does not get worse with sitting. I can sit as long as I want to.
 - ☐ I have trouble sitting for very long because of another medical problem, but pelvic pain doesn't make it hard to sit.

4. Because of pain pills I take for my pelvic pain
 - ☐ I am sleepy and I have trouble concentrating at work or while I do housework.
 - ☐ I can concentrate just enough to do my work, but I can't do more, like go out in the evenings.
 - ☐ I can do all of my work, and go out in the evening if I want, but I feel out of sorts.
 - ☐ I don't have any problems with the pills that I take for pelvic pain.
 - ☐ I don't take pain pills for my pelvic pain.

5. Because of my pelvic pain
 - ☐ I have very bad pain when I try to have a bowel movement, and it keeps hurting for at least 5 minutes after I am finished.
 - ☐ It hurts when I try to have a bowel movement, but the pain goes away when I am finished.
 - ☐ Most of the time it does not hurt when I have a bowel movement, but every now and then it does.
 - ☐ It never hurts from my pelvic pain when I have a bowel movement.

6. Because of my pelvic pain
 - ☐ I don't get together with my friends or go out to parties or events.
 - ☐ I only get together with my friends or go out to parties or events every now and then.
 - ☐ I usually will go out with friends or to events if I want to, but every now and then I don't because of the pain
 - ☐ I get together with friends or go to events whenever I want, pelvic pain does not get in the way.

7. Because of my pelvic pain
 - ☐ I can't stand for the doctor to insert the speculum when I go to the gynecologist.
 - ☐ I can stand it when the doctor inserts the speculum if they are very careful, but most of the time it really hurts.
 - ☐ It usually doesn't hurt when the doctor inserts the speculum, but every now and then it does hurt.
 - ☐ It never hurts for the doctor to insert the speculum when I go to the gynecologist.

8. Because of my pelvic pain
 - ☐ I cannot use tampons at all, because they make my pain much worse.
 - ☐ I can only use tampons if I put them in very carefully.
 - ☐ It usually doesn't hurt to use tampons, but occasionally it does hurt.
 - ☐ It never hurts to use tampons.
 - ☐ This question doesn't apply to me, because I don't need to use tampons, or I wouldn't choose to use them whether they hurt or not.

9. Because of my pelvic pain
 - ☐ I can't let my partner put a finger or penis in my vagina during sex at all.
 - ☐ My partner can put a finger or penis in my vagina very carefully, but it still hurts.
 - ☐ It usually doesn't hurt if my partner puts a finger or penis in my vagina, but every now and then it does hurt.
 - ☐ It doesn't hurt to have my partner put a finger or penis in my vagina at all.
 - ☐ This question does not apply to me because I don't have a sexual partner.
 - ☐ Specifically, I won't get involved with a partner because I worry about pelvic pain during sex.

10. Because of my pelvic pain

- ☐ It hurts too much for my partner to touch me sexually even if the touching doesn't go in my vagina.
- ☐ My partner can touch me sexually outside the vagina if we are very careful.
- ☐ It doesn't usually hurt for my partner to touch me sexually outside the vagina, but every now and then it does hurt.
- ☐ It never hurts for my partner to touch me sexually outside the vagina.
- ☐ This question does not apply to me because I don't have a sexual partner.
- ☐ Specifically, I won't get involved with a partner because I worry about pelvic pain during sex.

11. Because of my pelvic pain

- ☐ It is too painful to touch myself for sexual pleasure.
- ☐ I can touch myself for sexual pleasure if I am very careful.
- ☐ It usually doesn't hurt to touch myself for sexual pleasure, but every now and then it does hurt.
- ☐ It never hurts to touch myself for sexual pleasure.
- ☐ I don't touch myself for sexual pleasure, but that is by choice, not because of pelvic pain.

© 2005 Kathie Hummel-Berry, PT, PhD, Kathe Wallace, PT, Hollis Herman MS, PT, OCS

All providers of women's health services are hereby given permission to make unlimited copies for clinical use.

80. Please feel free to share any more information about your pain that you feel we need to know.

Questionnaire adapted from The International Pelvic Pain Society, Dr. Fred Howard, Dr. Hope Haefner and Dr. Robert Echenberg. Updated 10-2012.